

SIMI VALLEY FLYERS

LIPO BATTERY SAFETY

PRESENTATION

*By: Ron Scott & Bob
Fricke 11-8-2012*



INTRODUCTION

This presentation was made to provide safety information to all Club Members regarding LiPo batteries used in Radio Controlled models - airplanes, helicopters, cars, boats, trains, etc.

Why do we need this information?

- LiPo Batteries are being used extensively nowadays on all kinds of models – primarily due to their energy density, compact size and relatively light weight.
- LiPo batteries are very different then NiCad and NiMh batteries.
- LiPo batteries can cause explosions or fires if not used, charged or stored correctly.
- Explosions or fires can cause injury to people, damage to equipment, and environmental damage (landscape, etc).
- **MOST IMPORTANT:** Brush fires can spread rapidly and cause massive damage to the hills around our field. This could result in the loss of our flying field.


SUBJECTS TO BE COVERED

- LiPo Battery design.
- LiPo Battery characteristics.
- What causes LiPo batteries to explode or catch fire.
- How to properly charge LiPo batteries.
- How to safely use LiPo batteries in your model.
- What to do if your model catches fire on the ground before takeoff.
- What to do if an aircraft crashes.
- Field Safety regarding possible fires.
- How to properly discard LiPo batteries
- Storage of Lipo's

LiPo Battery Design

Lithium-ion polymer batteries, polymer lithium ion, or more commonly **lithium polymer batteries** (abbreviated Li-poly, Li-Pol, LiPo, LIP, PLI or LiP) are rechargeable. LiPo batteries are usually composed of several identical cells in parallel to increase the discharge current capability, and are often available in series "packs" to increase the total available voltage. Each cell at full charge = 4.20 Volts. A typical 3 cell battery pack = 12.60 Volts.

Typical 3 cell LiPo battery



Li-poly batteries are also gaining favor in the world of radio-controlled cars and large scale model trains, where the advantages of both lower weight and greatly increased run times and power delivery can be sufficient justification for the price. Radio-controlled car batteries are often protected by durable plastic cases to prevent puncture. Specially designed electronic motor speed controls are used to prevent excessive discharge and subsequent battery damage. This is achieved using a low voltage cutoff (LVC) setting that is designed to maintain cell voltage greater than 3 V (typically) per cell.

LiPo Battery Characteristics

- 4.2 V per cell (2cell=7.4 V, 3cell=12.6V, 4cell=16.8V, etc.)
- Current rating is typically 1 amp (1,000 mah) to ~ 5 amp (5,000mah) for a 1 to 5 lb. aircraft.
- “C” or Capacity is the amount of current a battery can deliver over time.
- A standard battery pack with 3 cells and 2,200 mah at 20 C can theoretically deliver 12.6 V at 2,200 ma (2.2 amps (1C)) for approximately 1 hour. Or $20 \times 2.2 = 44$ amps for a short time ~5-10 minutes depending on throttle setting.
- Always test the current draw in Amps (with a Watt/Ammeter) of your final setup (Battery/Motor/ESC/Propeller combination) to assure that you are within safe limits.

WHAT CAUSES LIPO BATTERIES TO CATCH FIRE OR EXPLODE

- Being punctured as a result of a crash - i.e. the battery moves forward and hits the motor or ESC (Electronic Speed Control).
- Overheated as a result of Hi discharge current draw. For example the motor drawing 40 or more amps from a 30 amp capacity battery.
- Overcharged – for example, charging a 2,200 mah battery at a high rate such as 5,000 ma and the battery is unable to handle the high current. Or charging a 3 cell battery as if it were a 4 cell battery.
- Overheated in storage or in a car/truck at 110 degrees F or more.



How to properly charge LiPo Batteries

- Don't charge the battery in the aircraft. Charge in a safe and secure area.
- Use the correct LiPo charger – with appropriate cell count and current setting.
- Always charge in the “Balance” mode or use a Blinky balancer.
- Use a protected enclosure such as a closed “non-flammable” canister, or a 12 x 12” concrete paver, or fire proof bags, or?.
- Charge at a 1 C (battery capacity) rate unless the battery Mfg states otherwise. Some batteries can be charged up to 5 C.



HOW TO SAFELY USE LIPO BATTERIES IN YOUR AIRCRAFT

- Mount the battery in the aircraft so that it is secure and won't be punctured if involved in a crash.
- Provide proper airflow for cooling. Also use large enough wire sizes and make good solder joints. Use shrink tubing over bare wires.
- Make sure that the ESC is at least 30% more capacity than the maximum current draw.
- Set the receiver/transmitter "Fail Safe" so throttle goes off if transmitter signal is lost.



WHAT TO DO IF THE AIRCRAFT CATCHES FIRE ON THE GROUND (Non-Flying Incident)

- Move to a safe – nonflammable area if possible.
- Get the fire extinguishers and put out the fire.
- Disconnect and remove the battery ASAP.
- If battery is bulged and hot, put in water or a cool isolated area.

WHAT TO DO IF AN AIRCRAFT CRASHES

- 1) Immediately throttle back to the lowest stick position and observe where the plane went down.
- 2) Call out for help “AIRCRAFT DOWN - HELP”
- 3) Sound the Air Horn to alert all flyers to land and focus attention on the downed aircraft.
- 4) Get to it as fast as possible. Bring fire extinguishers and shovels. Look for fire or smoke.
- 5) Be ready to call 911 and give directions to “Oak County Park” – off west Easy St.
- 6) If battery was ejected but not on fire, isolate it away from brush.
- 7) If 911 is called, someone needs to go to the front gate and give directions to the fire department.
- 8) Try to find out the “root cause” of the accident to prevent reoccurrence.



FIELD SAFETY

- Always put out fire extinguishers and shovels before flying.




- Don't fly alone.
- Make sure someone has a cell phone in case of an emergency and 911 is needed.
- Don't fly on very windy dry days.

WHAT TO DO IN THE EVENT OF A FIRE

- See MIKE KANE'S PRESENTATION titled "FIRE SAFETY 101"
- Be proactive and not complacent – we don't want to lose our flying field like some other fields such as the Channel Island Condors club did in July 2012.

WHAT TO DO WITH OLD OR “NO-GOOD” BATTERIES

- Discharge with a mild load ~ 500-600 Ma such as a 12 V car tail light bulb(s) (#1157) shown below. This will take several hours. For more than 3 cells, use 2 bulb(s) in series.
- You can also immerse in salt water for several hours (~ 2 days). Mix ½ cup salt to 1 gallon water.
- After completely discharging, cut off connectors wrap wires together and get rid of battery.



Battery Storage

- Always store cells or battery packs in a secure location where they cannot be shorted or handled by children. Use an ammunition box or fire proof container.
- If batteries are to be stored for periods of greater than 4 weeks at a time, store in a 50% discharge state. This is irrespective of battery voltage.
- **How to get to a 50% discharge state?**
 - Charge the battery in the “Storage” mode – most chargers have this.
 - If you have a watt meter (Astro, Turnigy, Medusa, Wattage, etc.), you can monitor and discharge to 50% of the pack capacity. For example, after you fully charge a pack, discharge the pack until 50% of the pack capacity is gone.
- If you don't have a watt meter you can follow these general guidelines. With a fully charged pack, fly 1/2 the time you normally fly. For example, if you get 20 normal flight time, fly 10 minutes to get to "50%" discharge state.




Recap of a Few Don'ts

- Don't charge a hot battery pack - wait until it cools down.
- Don't use a puffed up battery - discharge and dispose of.
- Don't forget about batteries on charge – You no why.
- Don't charge batteries on a flammable surface.
- Don't discharge any cell below 3.0 V – it may not recover.
- Don't use an ESC with a current rating lower than the maximum current draw - go 30-40% higher.
- Don't store in a hot location - store in a safe and cool area.

There are many more don'ts but always use
“COMMON SENSE”.

Aviation - Fire Statistics

- Aviation Incidents With Batteries - Involving Smoke, Fire, or Explosion



Note: These are recent cargo and baggage incidents that the FAA is aware of. This should not be considered as a complete listing of all such incidents.

Visit our SVF website at
www.simivalleyflyers.com
for Good information on

- “Safety Awareness”
- “Links” to
 - Electric motors, batteries, props selection
 - Power, thrust, efficiency calculations.
 - Static thrust calculations.
 - CG Calculator.
 - Airplane propellers.

That's It For Now

- Have FUN and be safe with LiPo batteries.
- We all hope you never have a “FIRE”.
- This presentation will be posted on the SVF website.

